

NAGALAND POLLUTION CONTROL BOARD



Annexure-III

Check list of documents for submission of application for Authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rule, 2016

a. For the Hazardous Waste Generating Units for Initial Authorization:

1. Form-1 duly filled up.
2. Valid Consent to Operate of the Board
3. Copy of the Project Report
4. Hazardous Waste Management Plan.

b. For non hazardous waste generating units which don't requires CTE/CTO for Initial Authorization.

1. Form-I duly filled up.
2. NOC from Local Body.
3. Address of Godown and Land documents of the Godown.
4. Site Plan.
5. Hazardous Waste collection and disposal Plan
6. Affidavit regarding vehicle used for transportation.

c. For the Hazardous Waste Generating Units for renewal Authorization:

1. Form-1 duly filled up.
2. Valid Consent to Operate of the Board
3. Annual Report in Form-4.

d. For non hazardous waste generating units which don't requires CTE/CTO for Renewal Authorization.

1. Form-1 duly filled up.
2. Annual Report in Form-4.
3. Copy of the Pass Book.

Member Secretary

Member Secretary
Nagaland Pollution Control Board
Nagaland Dimapur

38. "waste" means materials that are not products or by-products, for which the generator has no further use for the purposes of production, transformation or consumption.

Explanation.- for the purposes of this clause,

- (i) waste includes the materials that may be generated during, the extraction of raw materials, the processing of raw materials into intermediates and final products, the consumption of final products, and through other human activities and excludes residuals recycled or reused at the place of generation; and
 - (ii) by-product means a material that is not intended to be produced but gets produced in the production process of intended product and is used as such;
39. "waste oil" means any oil which includes spills of crude oil, emulsions, tank bottom sludge and slop oil generated from petroleum refineries, installations or ships and can be used as fuel in furnaces for energy recovery, if it meets the specifications laid down in Part-B of Schedule V either as such or after reprocessing.

(2) Words and expressions used in these rules and not defined but defined in the Act shall have the meanings respectively assigned to them in the Act.

CHAPTER II

PROCEDURE FOR MANAGEMENT OF HAZARDOUS AND OTHER WASTES

4. Responsibilities of the occupier for management of hazardous and other wastes.-

(1) For the management of hazardous and other wastes, an occupier shall follow the following steps, namely:-

- (a) prevention;
- (b) minimization;
- (c) reuse,
- (d) recycling;
- (e) recovery, utilisation including co-processing;
- (f) safe disposal.

(2) The occupier shall be responsible for safe and environmentally sound management of hazardous and other wastes.

(3) The hazardous and other wastes generated in the establishment of an occupier shall be sent or sold to an authorised actual user or shall be disposed of in an authorised disposal facility.

(4) The hazardous and other wastes shall be transported from an occupier's establishment to an authorised actual user or to an authorised disposal facility in accordance with the provisions of these rules.

(5) The occupier who intends to get its hazardous and other wastes treated and disposed of by the operator of a treatment, storage and disposal facility shall give to the operator of that facility, such specific information as may be needed for safe storage and disposal.

(6) The occupier shall take all the steps while managing hazardous and other wastes to-

- (a) contain contaminants and prevent accidents and limit their consequences on human beings and the environment; and
- (b) provide persons working in the site with appropriate training, equipment and the information necessary to ensure their safety.

5. Responsibilities of State Government for environmentally sound management of hazardous and other wastes. – (1) Department of Industry in the State or any other government agency authorised in this regard by the State Government, to ensure earmarking or allocation of industrial space or shed for recycling, pre-processing and other utilisation of hazardous or other waste in the existing and upcoming industrial park, estate and industrial clusters;

(2) Department of Labour in the State or any other government agency authorised in this regard by the State Government shall,-

- (a) ensure recognition and registration of workers involved in recycling, pre-processing and other utilisation activities;
- (b) assist formation of groups of such workers to facilitate setting up such facilities;
- (c) undertake industrial skill development activities for the workers involved in recycling, pre-processing and other utilisation;
- (d) undertake annual monitoring and to ensure safety and health of workers involved in recycling, pre-processing and other utilisation.

(3) Every State Government may prepare integrated plan for effective implementation of these provisions and to submit annual report to the Ministry of Environment, Forest and Climate Change, in the Central Government.

6. Grant of authorisation for managing hazardous and other wastes.- (1) Every occupier of the facility who is engaged in handling, generation, collection, storage, packaging, transportation, use, treatment, processing, recycling, recovery, pre-processing, co-processing, utilisation, offering for sale, transfer or disposal of the hazardous and other wastes shall be required to make an application in **Form 1** to the State Pollution Control Board and obtain an authorisation from the State Pollution Control Board within a period of sixty days from the date of publication of these rules. Such application for authorisation shall be accompanied with a copy each of the following documents, namely:-

- (a) consent to establish granted by the State Pollution Control Board under the Water (Prevention and Control of Pollution) Act, 1974 (25 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981 (21 of 1981);
- (b) Consent to operate granted by the State Pollution Control Board under the Water (Prevention and Control of Pollution) Act, 1974 (25 of 1974) and/or Air (Prevention and Control of Pollution) Act, 1981, (21 of 1981);
- (c) in case of renewal of authorisation, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorisation for hazardous and other wastes:

Provided that an application for renewal of authorisation may be made three months before the expiry of such authorisation:

Provided further that-

- (i) any person authorised under the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, prior to the date of commencement

of these rules, shall not be required to make an application for authorisation till the period of expiry of such authorisation;

- (ii) any person engaged in recycling or reprocessing of the hazardous waste specified in Schedule IV and having registration under the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, shall not be required to make an application for authorisation till the period of expiry of such registration.

(2) On receipt of an application complete in all respects for the authorisation, the State Pollution Control Board may, after such inquiry as it considers necessary, and on being satisfied that the applicant possesses appropriate facilities for collection, storage, packaging, transportation, treatment, processing, use, destruction, recycling, recovery, pre-processing, co-processing, utilisation, offering for sale, transfer or disposal of the hazardous and other waste, as the case may be, and after ensuring technical capabilities and equipment complying with the standard operating procedure or other guidelines specified by the Central Pollution Control Board from time to time and through site inspection, grant within a period of one hundred and twenty days, an authorisation in **Form 2** to the applicant, which shall be valid for a period of five years subject to such conditions as may be laid down therein. For commonly recyclable hazardous waste as given in Schedule IV, the guidelines already prepared by the Central Pollution Control Board shall be followed:

Provided that in the case of an application for renewal of authorisation, the State Pollution Control Board may, before granting such authorisation, satisfy itself that there has been no violation of the conditions specified in the authorisation earlier granted by it and same shall be recorded in the inspection report.

(3) The authorisation granted by the State Pollution Control Board under sub-rule (2) shall be accompanied by a copy of the field inspection report signed by that Board indicating the adequacy of facilities for collection, storage, packaging, transportation, treatment, processing, use, destruction, recycling, recovery, pre-processing, co-processing, utilisation, offering for sale, transfer or disposal of the hazardous and other wastes and compliance to the guidelines or standard operating procedures specified by the Central Pollution Control Board from time to time.

(4) The State Pollution Control Board may, for the reasons to be recorded in writing and after giving reasonable opportunity of being heard to the applicant, refuse to grant any authorisation under these rules.

(5) Every occupier authorised under these rules, shall maintain a record of hazardous and other wastes managed by him in **Form 3** and prepare and submit to the State Pollution Control Board, an annual return containing the details specified in **Form 4** on or before the 30th day of June following the financial year to which that return relates.

(6) The State Pollution Control Board shall maintain a register containing particulars of the conditions imposed under these rules for management of hazardous and other wastes and it shall be open for inspection during office hours to any interested or affected person.

(7) The authorised actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorisation.

(8) Handing over of the hazardous and other wastes to the authorised actual user shall be only after making the entry into the passbook of the actual user.

7. Power to suspend or cancel an authorisation.- (1) The State Pollution Control Board, may, if in its opinion the holder of the authorisation has failed to comply with any of the conditions of the authorisation or with any provisions of the Act or these rules and after giving him a reasonable opportunity of being heard and after recording reasons thereof in writing cancel or suspend the authorisation issued under rule 6 for such period as it considers necessary in the public interest.

(2) Upon suspension or cancellation of the authorisation, the State Pollution Control Board may give directions to the person whose authorisation has been suspended or cancelled for the safe storage and management of the hazardous and other wastes, and such occupier shall comply with such directions.

8. Storage of hazardous and other wastes.- (1) The occupiers of facilities may store the hazardous and other wastes for a period not exceeding ninety days and shall maintain a record of sale, transfer, storage, recycling, recovery, pre-processing, co-processing and utilisation of such wastes and make these records available for inspection:

Provided that the State Pollution Control Board may extend the said period of ninety days in following cases, namely:-

- (i) small generators (up to ten tonnes per annum) up to one hundred and eighty days of their annual capacity;
- (ii) actual users and disposal facility operators up to one hundred and eighty days of their annual capacity,
- (iii) occupiers who do not have access to any treatment, storage, disposal facility in the concerned State; or
- (iv) the waste which needs to be specifically stored for development of a process for its recycling, recovery, pre-processing, co-processing or utilisation;
- (v) in any other case, on justifiable grounds up to one hundred and eighty days.

9. Utilisation of hazardous and other wastes.- (1) The utilisation of hazardous and other wastes as a resource or after pre-processing either for co-processing or for any other use, including within the premises of the generator (if it is not part of process), shall be carried out only after obtaining authorisation from the State Pollution Control Board in respect of waste on the basis of standard operating procedures or guidelines provided by the Central Pollution Control Board.

(2) Where standard operating procedures or guidelines are not available for specific utilisation, the approval has to be sought from Central Pollution Control Board which shall be granting approval on the basis of trial runs and thereafter, standard operating procedures or guidelines shall be prepared by Central Pollution Control Board:

Provided, if trial run has been conducted for particular waste with respect to particular utilisation and compliance to the environmental standards has been demonstrated, authorisation may be granted by the State Pollution Control Board with respect to the same waste and utilisation, without need of separate trial run by Central Pollution Control Board and such cases of successful trial run, Central Pollution Control Board shall intimate all the State Pollution Control Board regarding the same.

(3) No trial runs shall be required for co-processing of waste in cement plants for which guidelines by the Central Pollution Control Board are already available; however, the actual users shall

ensure compliance to the standards notified under the Environment (Protection) Act, 1986 (29 of 1986), for cement plant with respect to co-processing of waste:

Provided that till the time the standards are notified, the procedure as applicable to other kind of utilisation of hazardous and other waste, as enumerated above shall be followed.

10. Standard Operating Procedure or guidelines for actual users.- The Ministry of Environment, Forest and Climate Change or the Central Pollution Control Board may issue guidelines or standard operating procedures for environmentally sound management of hazardous and other wastes from time to time.

CHAPTER III

IMPORT AND EXPORT OF HAZARDOUS AND OTHER WASTES

11. Import and export (transboundary movement) of hazardous and other wastes.- The Ministry of Environment, Forest and Climate Change shall be the nodal Ministry to deal with the transboundary movement of the hazardous and other wastes in accordance with the provisions of these rules.

12. Strategy for Import and export of hazardous and other wastes.- (1) No import of the hazardous and other wastes from any country to India for disposal shall be permitted.

(2) The import of hazardous and other wastes from any country shall be permitted only for recycling, recovery, reuse and utilisation including co-processing.

(3) The import of hazardous waste in Part A of Schedule III may be allowed to actual users with the prior informed consent of the exporting country and shall require the permission of the Ministry of Environment, Forest and Climate Change.

(4) The import of other wastes in Part B of Schedule III may be allowed to actual users with the permission of the Ministry of Environment, Forest and Climate Change.

(5) The import of other wastes in Part D of Schedule III will be allowed as per procedure given in rule 13 and as per the note below the said Schedule.

(6) No import of the hazardous and other wastes specified in Schedule VI shall be permitted.

(7) The export of hazardous and other wastes from India listed in Part A and Part B of Schedule III and Schedule VI shall be with the permission of Ministry of Environment, Forest and Climate Change. In case of applications for export of hazardous and other waste listed in Part A of Schedule III and Schedule VI, they shall be considered on the basis of prior informed consent of the importing country.

(8) The import and export of hazardous and other wastes not specified in Schedule III, but exhibiting the hazardous characteristics outlined in Part C of Schedule III shall require prior written permission of the Ministry of Environment, Forest and Climate Change before it is imported to or exported from India, as the case may be.

SCHEDULE II
[See rule 3 (1) (17) (ii)]

List of waste constituents with concentration limits

Class A: Based on leachable concentration limits [Toxicity Characteristic Leaching Procedure (TCLP) or Soluble Threshold Limit Concentration (STLC)]

Class	Constituents	Concentration in mg/l
(1)	(2)	(3)
A1	Arsenic	5.0
A2	Barium	100.0
A3	Cadmium	1.0
A4	Chromium and/or Chromium (III) compounds	5.0
A5	Lead	5.0
A6	Manganese	10.0
A7	Mercury	0.2
A8	Selenium	1.0
A9	Silver	5.0
A10	Ammonia	50*
A11	Cyanide	20*
A12	Nitrate (as nitrate-nitrogen)	1000.0
A13	Sulphide (as H ₂ S)	5.0
A14	1,1-Dichloroethylene	0.7
A15	1,2-Dichloroethane	0.5
A16	1,4-Dichlorobenzene	7.5
A17	2,4,5-Trichlorophenol	400.0
A18	2,4,6-Trichlorophenol	2.0
A19	2,4-Dinitrotoluene	0.13
A20	Benzene	0.5
A21	Benzo (a) Pyrene	0.001
A22	Bromodichloromethane	6.0
A23	Bromoform	10.0
A24	Carbon tetrachloride	0.5
A25	Chlorobenzene	100.0
A26	Chloroform	6.0
A27	Cresol (ortho+ meta+ para)	200.0
A28	Dibromochloromethane	10.0
A29	Hexachlorobenzene	0.13
A30	Hexachlorobutadiene	0.5
A31	Hexachloroethane	3.0
A32	Methyl ethyl ketone	200.0
A33	Naphthalene	5.0
A34	Nitrobenzene	2.0
A35	Pentachlorophenol	100.0
A36	Pyridine	5.0
A37	Tetrachloroethylene	0.7
A38	Trichloroethylene	0.5

(1)	(2)	(3)
A39	Vinyl chloride	0.2
A40	2,4,5-TP (Silvex)	1.0
A41	2,4-Dichlorophenoxyacetic acid	10.0
A42	Alachlor	2.0
A43	Alpha HCH	0.001
A44	Atrazine	0.2
A45	Beta HCH	0.004
A46	Butachlor	12.5
A47	Chlordane	0.03
A48	Chlorpyrifos	9.0
A49	Delta HCH	0.004
A50	Endosulfan (alpha+ beta+ sulphate)	0.04
A51	Endrin	0.02
A52	Ethion	0.3
A53	Heptachlor (& its Epoxide)	0.008
A54	Isoproturon	0.9
A55	Lindane	0.4
A56	Malathion	19
A57	Methoxychlor	10
A58	Methyl parathion	0.7
A59	Monocrotophos	0.1
A60	Phorate	0.2
A61	Toxaphene	0.5
A62	Antimony	15
A63	Beryllium	0.75
A64	Chromium (VI)	5.0
A65	Cobalt	80.0
A66	Copper	25.0
A67	Molybdenum	350
A68	Nickel	20.0
A69	Thallium	7.0
A70	Vanadium	24.0
A71	Zinc	250
A72	Fluoride	180.0
A73	Aldrin	0.14
A74	Dichlorodiphenyltrichloroethane (DDT), Dichlorodipenyldichloroethylene (DDE), Dichlorodipenyldichloroethane (DDD)	0.1
A75	Dieldrin	0.8
A76	Kepone	2.1
A77	Mirex	2.1
A78	Polychlorinated biphenyls	5.0
A79	Dioxin (2,3,7,8-TCDD)	0.001

Class B: Based on Total Threshold Limit Concentration (TTLC)

Class	Constituent	Concentration in mg/kg
(1)	(2)	(3)
B1	Asbestos	10000
B2	Total Petroleum Hydrocarbons (TPH) (C5 - C36)	5,000

Note:

- (1) The testing method for list of constituents at A1 to A61 in Class-A, shall be based on Toxicity Characteristic Leaching Procedure (TCLP) and for extraction of leachable constituents, USEPA Test Method 1311 shall be used.
- (2) The testing method for list of constituents at A62 to A79 in Class- A, shall be based on Soluble Threshold Limit Concentration (STLC) and Waste Extraction Test (WET) Procedure given in Appendix II of section 66261 of Title 22 of California Code regulation (CCR) shall be used.
- (3) In case of ammonia (A10), cyanide (A11) and chromium VI (A64), extractions shall be conducted using distilled water in place of the leaching media specified in the TCLP/STLC procedures.
- (4) A summary of above specified leaching/extraction procedures is included in manual for characterization and analysis of hazardous waste published by Central Pollution Control Board and in case the method is not covered in the said manual, suitable reference method may be adopted for the measurement.
- (5) In case of asbestos, the specified concentration limits apply only if the substances are in a friable, powdered or finely divided state.
- (6) The hazardous constituents to be analyzed in the waste shall be relevant to the nature of the industry and the materials used in the process.
- (7) Wastes which contain any of the constituents listed below shall be considered as hazardous, provided they exhibit the characteristics listed in Class-C of this Schedule :

1.	Acid Amides
2.	Acid anhydrides
3.	Amines
4.	Anthracene
5.	Aromatic compounds other than those listed in Class A
6.	Bromates, (hypo-bromites)
7.	Chlorates (hypo-chlorites)
8.	Carbonyls
9.	Ferro-silicate and alloys
10.	Halogen- containing compounds which produce acidic vapours on contact with humid air or water e.g. silicon tetrachloride, aluminum chloride, titanium tetrachloride
11.	Halogen- silanes
12.	Halogenated Aliphatic Compounds
13.	Hydrazine (s)

14.	Hydrides
15.	Inorganic Acids
16.	Inorganic Peroxides
17.	Inorganic Tin Compounds
18.	Iodates
19.	(Iso- and thio-) Cyanates
20.	Manganese-silicate
21.	Mercaptans
22.	Metal Carbonyls
23.	Metal hydrogen sulphates
24.	Nitrides
25.	Nitriles
26.	Organic azo and azoxy Compounds
27.	Organic Peroxides
28.	Organic Oxygen Compounds
29.	Organic Sulphur Compounds
30.	Organo- Tin Compounds
31.	Organo nitro- and nitroso compounds
32.	Oxides and hydroxides except those of hydrogen, carbon, silicon, iron, aluminum, titanium, manganese, magnesium, calcium
33.	Phenanthrene
34.	Phenolic Compounds
35.	Phosphate compounds except phosphates of aluminum, calcium and iron
36.	Salts of pre-acids
37.	Total Sulphur
38.	Tungsten Compounds
39.	Tellurium and tellurium compounds
40.	White and Red Phosphorus
41.	2-Acetylaminofluorene
42.	4-Aminodiphenyl
43.	Benzidine and its salts
44.	Bis (Chloromethyl) ether
45.	Methyl chloromethyl ether
46.	1,2-Dibromo-3-chloropropane
47.	3,3'-Dichlorobenzidine and its salts
48.	4-Dimethylaminoazobenzene
49.	4-Nitrobiphenyl
50.	Beta-Propiolactone

CLASS C : Based on hazardous Characteristics

Apart from the concentration limit given above, the substances or wastes shall be classified as hazardous waste if it exhibits any of the following characteristics due to the presence of any hazardous constituents:

Class C1: Flammable- A waste exhibits the characteristic of flammability or ignitability if a representative sample of the waste has any of the following properties, namely:-

- (i) flammable liquids, or mixture of liquids, or liquids containing solids in solution or suspension (for example, paints, varnishes, lacquers, etc; but not including substances or wastes otherwise classified on account of their dangerous characteristics), which give off a flammable vapour at temperature less than 60°C. This flash point shall be measured as per ASTM D 93-79 closed-cup test method or as determined by an equivalent test method published by Central Pollution Control Board;
- (ii) it is not a liquid and is capable, under standard temperature and pressure, of causing fire through friction, absorption of moisture or spontaneous chemical changes and, when ignited, burns vigorously and persistently creating a hazard;
- (iii) it is an ignitable compressed gas;
- (iv) It is an oxidizer and for the purposes of characterisation is a substance such as a chlorate, permanganate, inorganic peroxide, or a nitrate, that yields oxygen readily to stimulate the combustion of organic matter.

Class C2: Corrosive- A waste exhibits the characteristic of corrosivity if a representative sample of the waste has either of the following properties, namely:-

- (i) it is aqueous and has a pH less than or equal to 2 or greater than or equal to 12.5;
- (ii) it is a liquid and corrodes steel (SAE 1020) at a rate greater than 6.35 mm per year at a test temperature of 55 °C;
- (iii) it is not aqueous and, when mixed with an equivalent weight of water, produces a solution having a pH less than or equal to 2 or greater than or equal to 12.5;
- (iv) it is not a liquid and, when mixed with an equivalent weight of water, produces a liquid that corrodes steel (SAE1020) at a rate greater than 6.35 mm per year at a test temperature of 55 °C.

Note:

For the purpose of determining the corrosivity, the Bureau of Indian Standard 9040 C method for pH determination, NACE TM 01 69 : Laboratory Corrosion Testing of Metals and EPA 1110A method for corrosivity towards steel (SAE1020) to establish the corrosivity characteristics shall be adopted.

Class C3: Reactive or explosive- A waste exhibits the characteristic of reactivity if a representative sample of the waste it has any of the following properties, namely:-

- (i) it is normally unstable and readily undergoes violent change without detonating;
- (ii) it reacts violently with water or forms potentially explosive mixtures with water;
- (iii) when mixed with water, it generates toxic gases, vapours or fumes in a quantity sufficient to present a danger to human health or the environment;
- (iv) it is a cyanide or sulphide bearing waste which, when exposed to pH conditions between 2 and 12.5, can generate toxic gases, vapours or fumes in a quantity sufficient to present a danger to human health or the environmental;
- (v) it is capable of detonation or explosive reaction if it is subjected to a strong initiating source or if heated under confinement;
- (vi) it is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure;
- (vii) it is a forbidden explosive.

Class C4: Toxic- A waste exhibits the characteristic of toxicity, if, :-

- (i) the concentration of the waste constituents listed in Class A and B (of this schedule) are equal to or more than the permissible limits prescribed therein;
- (ii) it has an acute oral LD50 less than 2,500 milligrams per kilogram;
- (iii) it has an acute dermal LD50 less than 4,300 milligrams per kilogram;
- (iv) it has an acute inhalation LC50 less than 10,000 parts per million as a gas or vapour;
- (v) it has acute aquatic toxicity with 50% mortality within 96 hours for zebra fish (*Brachidanio rerio*) at a concentration of 500 milligrams per litre in dilution water and test conditions as specified in BIS test method 6582 – 2001.
- (vi) it has been shown through experience or by any standard reference test- method to pose a hazard to human health or environment because of its carcinogenicity, mutagenicity, endocrine disruptivity, acute toxicity, chronic toxicity, bio-accumulative properties or persistence in the environment.

Class C5: Substances or Wastes liable to spontaneous combustion - Substances or Wastes which are liable to spontaneous heating under normal conditions encountered in transport, or to heating up on contact with air, and being then liable to catch fire.

Class C6: Substances or Wastes which, in contact with water emit flammable gases- Substances or Wastes which, by interaction with water, are liable to become spontaneously flammable or to give off flammable gases in dangerous quantities.

Class C5: Oxidizing - Substances or Wastes which, while in themselves not necessarily combustible, may, generally by yielding oxygen cause, or contribute to, the combustion of other materials.

Class C8: Organic Peroxides - Organic substances or Wastes which contain the bivalent O–O structure, which may undergo exothermic self-accelerating decomposition.

Class C9: Poisons (acute) - Substances or Wastes liable either to cause death or serious injury or to harm human health if swallowed or inhaled or by skin contact.

Class C10: Infectious substances - Substances or Wastes containing viable micro-organisms or their toxins which are known or suspected to cause disease in animals or humans.

Class C11: Liberation of toxic gases in contact with air or water - Substances or Wastes which, by interaction with air or water, are liable to give off toxic gases in dangerous quantities.

Class C12: Eco-toxic- Substances or Wastes which if released, present or may present immediate or delayed adverse impacts to the environment by means of bioaccumulation or toxic effects upon biotic systems or both.

Class C13: Capable, by any means, after disposal, of yielding another material, e.g., leachate, which possesses any of the characteristics listed above.